Recycling 05/21/2022 Keynote address

The Essential Role of Photosynthesis in Defining Net Zero Carbon Dioxide Emissions for Equilibrium Calculations

Dave White, Henry Ealy and Kathrine Martin

1Chemical Engineer with Masters Level study in Statistics, Climate Change Truth Inc. USA 2Head of Energetic Health Institute and Operation Phoenix Rising, USA 3Research assistant in research department for Climate Change Truth, USA

✤ Agenda

- ✤ I-Atmospheric CO₂ is not an emissions issue
- ✤ II-Sea Level Rise is 1.4 mmyr⁻¹ and not accelerating
- III-Southeast USA storms cause and solution.
- Summary



I-Atmospheric CO₂ is not an emissions issue

- Follow the data
- Global carbon atlas.
- Why its not our emissions
- Where we are
- Mauna Loa CO₂ Growth Rate
- Where we are going
- Future
- Photosynthesis issues
- Correct solution for Atmospheric CO₂ with results!
- Global Warming Potential



Follow the data Not an Agenda

- Use all the data- don't cherry pick
- See what the data says. Perform statistical analysis.
- All models much be verified with actual data.
- This presentation is the result of following the data.
- Nature Climate Change and AMS Journals are "woke" and should not be used or cared about.
- Predatory journal lists are lies!
- All scientists must keep from a scientific belief system
- We must keep our minds open to new science.

Global Carbon Atlas

- ◆ USA 2006: 6131 MtCO₂ and in 2018: 5270 MtCO₂ --a 16%
 ◆ decrease of CO₂.
- Europe 1990: 4479 MtCO₂ and in 2018: 3544 MtCO₂ -- a 21% decrease of CO₂.





Where we are



2008 r_{xy}=0.87

2021 r_{xy}=0.63

We have had mostly lower fossil fuel emissions since 2014. Massive deforestation continues!

Mauna Loa CO₂ Growth Rate

✤ Annual mean global CO₂ growth rate in increasing.



Where we are going

Facts

- Minimum residence time 150 years. Was 5 years
- Most work is on carbon emission reduction
 - Reforestation efforts in China and North America ongoing.
- Atmospheric CO₂ is "Extra" that is not consumed in photosynthesis
- Assumptions
 - Keep current carbon emissions level at 35 billion metric tons annually.
 - Decreases of carbon emissions will be offset by increases in population
 - Atmospheric CO₂ stays the same slope.
 - At 100 years no more oil so carbon dioxide emissions drop by 30%

Average Residence Time of

Year



Unrealized Global Temperature Increase: Implications of Current Uncertainties, Schwartz, S. E. J. Geophys. Res., 2018, doi: 10.1002/2017JD028121.

Residence Time

- Another way to look at residence time is a signature from past events, which lowered CO₂ emissions.
- Oil embargo in the 1970's
- Multiple recessions
- Worldwide recession in 2009.
- COVID-19 pandemic.
- You can clearly see no signature from these event
- Netflix watch "Kiss the ground" movie explains even if we stopped all CO₂ emissions atmospheric CO₂ will not lower.



Future with residence time 100 years

- CO₂ emissions correlation shrinks with passing of time.
- Goes to zero at 580 ppm, Year 2060

Why its not our emissions

- ✤ 90% of People live in Northern Hemisphere
- ✤ 90% of our emissions looks like this.

✤ Mauna Loa cycle for carbon dioxide

World Population by latitude

Why residence time is increasing.

30-fold average residence time Increase 5,150 years.

- Northern Hemisphere forests consume only 2.6 gtyr⁻¹ (2.6 billion tons per year) of carbon dioxide.
- All tropical forests in the Southern Hemisphere have switched to become oxygen consumers and carbon dioxide producers.
- We have a five-times increase in emissions of CO₂ mainly due to fossil fuel burning.
- We have a 97% decrease in photosynthesis consumption of carbon dioxide. Due to massive non-sustainable deforestation.
- The diffusion of CO₂ in the troposphere is toward the exosphere!

Photosynthesis issues

- City sprawl is 1 billion tons lost CO₂ consumption annually
- IPPC forestry estimates 2-3 billion tons lost CO₂ consumption annually from bio-mass burning.
- Deforestation of 30 million acers annually in Amazon Rain-forest is 90 million tons lost CO₂ consumption. Total of 60 billion tons lost since 1950.
- More than 300 billion tons lost CO₂ consumption annually from Amazon Rain-forest switching. 19x our emissions output.

Photosynthesis issues

- The World Economic Forum has rightly said that we need to plant 1 trillion trees, which will—in just ten years--drain the atmosphere quickly by increasing the consumption of CO₂ (by 30 gt to 100 gtyr⁻¹).
- 35 billion tons of human emissions, 3 billion are deforestation issues. The switch over of the amazon to an oxygen sink and carbon dioxide producer is 15 billion tons of unaccounted for CO₂ annually.

globalforestwatch.org/map

Atmospheric CO₂ by latitude

CO₂ mixed by atmospheric winds.

Courtesy Pieter Tans Mauna Loa

Mauna Loa harmonic trend

Strong yellow line at south pole

Amazon Rain-Forest

Par	CO ₂ PPM	-71 81	369 7831	622 3462								B.Atillian	. Maatara a	lafaration				
	00211111	, 1.01	505.7051	02210102								DATITIO P	a nectare (aetorestion				
												of A	Amazon Ra	inforest				
1970	325	255.2			-44.7831	-367.146	16441.93445	2005.523979	134796.2983									
1975	331.2	313.2			-38.5831	-309.146	11927.80983	1488.653825	95571.34444	420								1000
1980	339	374.7			-30.7831	-247.646	7623.310604	947.5978249	61328.61751									
1985	346.12	450.2			-23.6631	-172.146	4073.50768	559.9412095	29634.29828									000
1990	354.39	525.7			-15.3931	-96.6462	1487.68168	236.9468172	9340.479053									- 900
1995	360.82	605.7			-8.96308	-16.6462	149.2007574	80.33674793	277.0944379	400								
2000	369.55	685.7			-0.23308	63.35385	-14.76631953	0.054324852	4013.709822									- 800
2005	379.8	690.7			10.01692	68.35385	684.6952189	100.3387479	4672.248284									
2010	389.9	775.3			20.11692	152.9538	3076.960757	404.6905941	23394.87905	380								700
2014	398.6	831.7			28.81692	209.3538	6032.93368	830.4150556	43829.0329									
2015	400.8	845.8			31.01692	223.4538	6930.850757	962.0495172	49931.62136									600
2016	404.2	860.8			34.41692	238.4538	8206.84768	1184.524594	56860.23675									- 600
2017	407.8	875.8			38.01692	253.4538	9635.535373	1445.28644	64238.85213	360								
							76256.50215	10246.35968	577888.7123									- 500
					bottom	76949.7												
					top	76256.5		rxy=	0.990991607	340								400
																		300
										220								300
										320								
																		- 200
										300								100
					r	(1970	1975	1980	1985	1990	1995	2000	2005	2010
						.=(1.7	1										
• XV									CO	2 PPMR	ain Forest							
					,													

CO₂ Emissions correlation 363, Rain-forest photosynthesis lost 55 ppm.

Amazon Rain-forest

- ✤ 2 Billion acres deforested since 1950.
- 1950 start deforestation
 - 1957 Atmospheric Carbon Dioxide started current increase 1970's trees and plants toppling over.
- Burning of bio-mass each acre causes minimum 1 billion CO₂ release annually (6 months). The massive release caused plants to grow to fast causing toppling and massive decay.

Amazon Rain-forest

1990's Changeover to oxygen sink and carbon dioxide producer.

- Massive decay causing the rain-forest to change to an oxygen sink and carbon dioxide producer.
 - One billion annual tons of carbon dioxide from biomass burning.
 - 60 billion tons annual CO₂ consumption lost from deforestation.
- 300-400 billion tons annual CO₂ consumption loss from the switch over.
- 10-15 billion tons carbon dioxide emissions from decay per annum
 We have lost 20%+ of Earths Oxygen production.

forests

1990's Changeover to oxygen sink and carbon dioxide producer.

- Massive decay causing the southern rain-forests to change to an
- oxygen sink and carbon dioxide producer.
- Blue line is difference between CO2 emitter or CO2 consumer.
 We have lost 20%+ of Earths Oxygen production.

Amazon switching.

Loss of oxygen production worldwide

Correct solution for Atmospheric CO₂

- Moratorium on Rain-forest deforestation starting now! All nations need to put pressure on Brazil and all south America to stop this. Not one more acre.
- Plant native trees and shrubs all over the world. 16+ billion new in 2019-2021. Increase Photosynthesis.
- Stop deforestation in India and everywhere which is not sustainable.

New Paradigm

- We have worked on Carbon Dioxide Emissions.
- Lets work on Photosynthesis. Atmospheric CO₂ decrease by 2031.
- Drain atmospheric C0₂ like a bathtub.

Mole fraction (ppm)

Planting Ideas

- Provide space where public can come and plant trees and shrubs. All government-owned lands. Very small cost. Need website with document for each planting area.
- Plant shrubs in all freeway medians and sides. This is revenue plus. Plant
 - native shrubs at a minimal spacing so all light is used in photosynthesis. This will take in 1 ton of CO₂ emissions per acre per year right at the source. The space would not need to be mowed every week in the summer.
- Get schools involved and planting massive number of trees and shrubs. In
 - their property and the government property as in 1 above.
- Parks can add trees and shrubs.
- Tax incentive for business to plant trees and shrubs. Flat roofs which can structurally handle dirt can plant shrubs at minimum spacing and water using drip irrigation.
- Wild fire attention. Get a retainer for the Jet plane and use it from the start
 on any wild fire.
- This all government policy document is on the home page of cctruth.org

Results

- With more than 1 billion trees planted and Indian Rain forest stopped deforestation.
- Atmospheric CO₂ went "flat" for the first time!
- Period of 1 month December 2019
- In 2020 more than 12 billion trees and one rainforest stopped. Expect similar or longer flat period. Also this year minimum was Lower than normal (407.75-408.25)

Mauna Loa 2020

Mauna Loa fraud

Recent Daily Average Mauna Loa CO2

The Department of Commerce Office of Inspector General (OIG) has received your correspondence and reviewed the information you provided. We have assigned complaint number 20-0641.

March 29: 415.68 ppn

After the analyzer was "fixed" NOAA Mauna Loa CO_2 data Increased by exactly 1.5ppm

Mauna Loa more fraud

Mauna Loa more fraud

In the image below taken on 2/25/2022, it can be seen 3 yellow ball averages on the right side.

Climate Change Truth (cctruth.org) has watched this daily. Never has there been 3 days in the same slope. The probability of this happening without collusion is $1/179^3=1/5,735,339$ or 1 time in 5,735,339 measurements.

Peru Stopped Deforestation in December

Mauna Loa CO2 Peak in February this year.

For 70 years Mauna Loa worldwide Carbon Dioxide peaked in late May and decreased until early November. However it peaked this year in February because of Indian Rainforest destruction stop, Peru stopping deforestation and 24+ billion trees planted since May 2018. The red enclosed area is fraud!

State of Oregon sanctioned experiment

- Non treed area treed area is 28 ppm lower carbon dioxide concentration! 15 ppm difference in December!
- NIST Certified CO₂ sensors calibrated within 1 ppm.
- Scientific Law achieved!
- The non-treed area sensor is consistently 394-494 for 46 degrees north. The NOAA graph predicts 416 ppm! This is far outside that prediction.
 - 160k vehicles per day
 6CO₂+ 6H₂O + λ -> C₆H₁₂O₆ + 6O₂

Tweet to Amazon leaders

- @jairbolsonaro @MartinVizcarraC @alvorada_palace,
 @MichelTemer @Peru @IvanDuque @evoespueblo
 @MashiRafael @MOTPGuyana @govsuriname
 @maduro_en @Lenin
- Stop Deforestation NOW! Peru stopped last December! <u>https://riotimesonline.com/brazil-news/rio-</u> <u>politics/stop-amazon-rainforest-_deforestation-</u> <u>sponsored/</u>
- https://cctruth.org/rainforest-stop.pdf
- On Facebook connect to Climate Change Truth and watch and share the posts.

CO₂ does not freeze in Mesosphere

Pressure in Mesosphere is 1mb (1 millibar)

Ocean is not a sink for Atmospheric Carbon Dioxide

Diffusion flux =-D($\Delta C/\Delta X$)

Movement (not necessarily random) from high concentration to lower concentration. Example: diffusion of carbon dioxide is 2 cm/month toward the exosphere. Not toward the ocean. The ocean is not a sink for CO_2

Mean rates of change in surface water pCO2 and bulk water temperature of mixed layer (SST) estimated in six areas in the temperate South Pacific Ocean.

Locations	Lat.	Long.	Data period	Rate of change		No. of MOS.	Rate of change	
				pCO2@SST (µatm y ⁻¹)	±σ (µatmy 1)		SST ('C y '')	±ø (°Cy ⁻¹)
Tahiti	15-20°S	135-145'W	11974-1997	2.00	0.39	16	0.033	0.034
Vanuata	20-25°S	165-175°E	1984-2006	1.30	0.27	35	-0.048	0.018
New Caledonia	25-30°S	170-180°W	1974-2005	1.05	0.09	17	-0.033	0.020
Tasmania	43-48°S	140-150°E	1984-2004	1.83	0.56	18	-0.051	0.062
New Zealand	45-50°S	170-180°E	1974-2006	1.42	0.30	37	0.001	0.027
S. of Tasmania	50-55°S	140-150°E	1984-2002	1,61	0.20	12	-0.044	0.064
Mean				1.5±0.3	0.30	-	-0.02 ± 0.05	0.04

The rates are computed using mean monthly values. The temperatures are measured concurrently with pCO2-

Ocean is not a sink for Atmospheric Carbon Dioxide Time-Series

La Parguera Mooring (17.95°N, 67.05°W) No change in CO2 or ph. https://www.pmel.noaa.gov/co2/story/OA+Observations+and+Data

620

47

42

37

o 320

දු 570 දී 520

Ocean is not a sink for Atmospheric Carbon Dioxide

SOCAT data is from vessels with carbon dioxide sensors.
The <u>spreadsheet</u> has all the data for the past 50 years.
No correlation between tropospheric CO₂ and ocean CO₂.
Rxy=0.65

Intergovernmental Panel on Climate Change

- The Intergovernmental Panel on Climate Change reports are inaccurate and are falsely skewing Data. https://cctruth.org/ipcc.pdf Publishing garbage manuscripts in a journal whose chief editor that has a degree in Political Science. Is not science. Review of:
 - SR 1.5 Chapter two "Mitigation" garbage
 - Atmospheric CO2 equilibrium statement had zero citations to any published manuscript.
 - The actual equilibrium is 8.6 gt/yr.
 - Their only probability for their solution to work by lowering emissions of CO2 is 50-66%. Would you take your car to a mechanic who said they could fix it 50-66% of the time?
- http://www.theenergynet.com/2020/06/one-mans-fight-to-enddeforestation-one- tree-at-a-time/

Intergovernmental Panel on Climate Change

Limiting warming to 1.5°C depends on greenhouse gas (GHG) emissions over the next decades, where lower GHG emissions in 2030 lead to a higher chance of keeping peak warming to $1.5^{\circ}C$ (high confidence). Available pathways that aim for no or limited (less than 0.1°C) overshoot of 1.5°C keep GHG emissions in 2030 to 25-30 GtCO2e yr-1 in 2030 (interquartile range). This contrasts with median estimates for current unconditional NDCs of 52-58 GtCO2e yr-1 in 2030. Pathways that aim for limiting warming to 1.5°C by 2100 after a temporary temperature overshoot rely on large-scale deployment of carbon dioxide removal (CDR) measures, which are uncertain and entail clear risks. In model pathways with no or limited overshoot of 1.5° C, global net anthropogenic CO2 emissions decline by about 45% from 2010 levels by 2030 (40-60% interquartile range), reaching net zero around 2050 (2045-2055 interquartile range).

For limiting global warming to below 2°C with at least 66% probability CO2 emissions are projected to decline by about 25% by 2030 in most pathways (10-30% interquartile range) and reach net zero around 2070 (2065-2080 interquartile range). {2.2, 2.3.3, 2.3.5, 2.5.3, Cross-Chapter Boxes 6 in Chapter 3 and 9 in Chapter 4, 4.3.7}

Intergovernmental Panel on Climate Change

- Working Group I Second Order Draft for Ar6
 - The scientific consensus is 33% not 97%
 - IPCC GWP (Global warming potential) is false because it assumes equal concentrations of GHG. CO₂ is 419 ppm CH₄ is 1.9 ppm and so on.
 - Sea level rise is 1.4 mm/yr and not accelerating. The Jakobshavn Glacier in Greenland has grown for the third year in a row.
 - Residence time. In a 2003 report, the IPCC said it was from 5-200 years. Average residence time is 150 years.

Intergovernmental Panel on Climate Change

- Working Group III First Order Draft for Ar6
 - Netflix watch "Kiss the ground" movie explains even if we stopped all CO2 emissions atmospheric CO2 will not lower.
 - Use of Unscientific Terms. The document uses the unscientific terms highly (or otherwise) likely six times, unlikely three times, and highly (or otherwise) confident sixty-two times.
 - The graph they use to say cause and effect for emissions vs. CO₂ rise has not been updated since 2012. After 2014 worldwide emissions were mostly flat, with a 7% drop last year.

Global Warming Potential

- IPCC Global warming potential is a false calculation!
 - Assumes equal Greenhouse Gas concentrations. Not based in reality!
- Dr. T. J. Blasing of Oak Ridge National Laboratory exposed greenhouse gasses to long wave radiation.
- Gas (Watts/ m²)

Increased radiative forcing

- ★ CO2 ppm.
 ★ CH₄ Methane ppb.
 ♦ O₃ (Ozone)
 ♦ N2O Nitrous Oxide p
 1.94
 0.50
 0.40
 0.20
- pb
- The remainder are negligible.
- <u>https://cdiac.ess-</u> <u>dive.lbl.gov/pns/current_ghg.html?</u> <u>fbclid=lwAR1u1m3z1xjRUebekpHru</u> <u>u5gXnaZ0CTicuG0gGcgw1Ph855sbZ</u> <u>41A5tcg7E</u>

Sea-Level Rise

Dedicated to Tom W. <u>http://colderside.com/</u> who passed away June 29th, 2021
 Tide Gauges & Satellites

Different Linear Measures Inconsistent Results

✤ Apparently Unaffected by Recent CO₂ Increases

The Future for NYC? NO

II-Ocean Sea level rise is linear and not accelerating!

- No reliability in NOAA Sea level measurement's
- The NOAA satellite; Jason-3 has a minimum resolution of 25 mm.
 - This is like using a yardstick with no gradations and putting an unfamiliar object 20 feet away and then performing measurement's. The data would not be reliable.
- The Jakobshavn Glacier in Greenland has grown for the third year in arow.

https://earthobservatory.nasa.gov/images/145185/major-

World Sea-Level rise

✤ <u>3 Sources - Different Metrics</u>

Tide Gauges1.4mm/yr.LinearTopex/Poseidon/3.3mm/yr.LinearJason 1 - 30.5 - 2.5mm/yr.Linear

Tide Gauge Distribution

Satellite Systems

Satellite [Adjusted]

Topex/Poseidon Specifications

Altitut	ude 1335KM	[830 Mi]		
	Rada	r Resolution		
Ku-Band C-Band	13.65 GHz	23 mm wavelength		
C Dund	5.3 GHz	56 mm wavelength		
Orbital Tra	acking Error	20 - 40 mm		

Massive 38% CO₂ Increase Since 1880

- Any sign of Sea-Level Rise <u>Acceleration</u>?
 - They're all Linear

NOAA's 2016 list of 375 long term trend tide stations

NiCE fix for SE storms Conor Mcmenemie mcmenemieconor@hotmail.com

For millions of years a warm, shallow, opaque, 26,000 km², fresh water lake would appear in the north eastern Sahara Desert from July to October.

This was created by the torrent of water flowing down the River Nile into modern day Egypt, submerging the flood plains and delta under up to 8 meters of water.

This lake created clouds which cooled the western Africa shore water. Storms in the SE USA originate from this water.

SE USA storm track

The warmer the water off the coast of Africa the further west the hurricanes go. Prior to 1970 (When the Aswan Dam was built) the water was cooler. Most storms went straight up the Atlantic ocean.

It needs to be emphasised that the historic moisture flux from the July to October Nile flood is completely missing from ALL research and literature, yet it was an essential component of the planet's second largest weather system

Shallow water heats faster

More surface area evaporation from shallow water than deep water.

Sahelian August Rainfall change

Less and less rainfall from clouds every year. This because no flooded area.

Storm Track Again

The NiCE Chain Reaction

The NiCE Chain Reaction

Nile Flood

Evaporation onto Ethiopian Highlands

Kiremt rainfall event

African Easterly Waves

Equatorial Atlantic marine stratocumulus cloud

Summer Sea Isolation

Ocean Heat Transport

Additional heat released into Atmosphere

. . . .

Summary

Atmospheric CO₂

- Not caused by carbon dioxide emissions. Little effect.
- Caused by massive loss of photosynthesis. Mainly Amazon Rain-forest. Trees release Terpenes which induce rain!
- Does not freeze in upper atmosphere.
- Sea Level rise is not accelerating.
- NiCE fix for storms. Better Dam management needed.
- There is nothing green in the green new deal unless you like rolling blackouts! Solar panels don't work at night or with snow on them. Windmills are not the solution <u>https://www.youtube.com/watch?v=JYHX-lb3Q5Q</u>
- India and China need to remove lead from gasoline and install pollution mitigation equipment on their factories.
- Lawsuits to stop Cap and Trade <u>Lawsuits Climate Change</u> <u>Truth (cctruth.org)</u>
- Contact Data
 - ☆ research@cctruth org 503-608-7611

Acknowledgments

- International Journal of Chemical Engineering
- International Journal of Environmental Science and Development
- This conference
- Your kind attention
- Huge Tree planting Event Earth Day 2023!

